





CHAMPION METAL

a Taylor Metal Company


Residential Flashing Guide




Standard ArmorTech™ Coatings — Snap-Loc, StreamLine™ & MS150™




Polar White SRI-90



Glacier White SRI-85




Stone White SRI-71




Light Stone SRI-68




Hickory SRI-48




Desert Brown SRI-24



Cocoa Brown SRI-27



Kodiak Brown SRI-22



Weathered Copper
SRI-24



Tahoe Blue SRI-25



Sage Green SRI-31



Forest Green SRI-32



Pine Green SRI-29




Tile Red SRI-33



Pacific Blue SRI-25



Sterling Grey SRI-45



Charcoal Grey SRI-25



Copper Penny SRI-60



Obsidian Black SRI-NA
(Formerly: Black)




Zincalume® Plus AZ-55 SRI-65
No Finish warranty - 25 year
perforation warranty.



G-90 Galvanized
No finish warranty — no
perforation warranty

Standard Kynar 500® Coatings — Easy-Lock™, SmoothWall™, Lifetime Soffit™ & MS150™ Only



Glacier White SRI-85



Sierra Tan SRI-60



Parchment SRI-58



Sterling Grey SRI-44




Zinc Grey SRI-39



Charcoal Grey SRI-25



Saddle Tan SRI-37



Medium Bronze SRI-36



Musket SRI-31



Dark Bronze SRI-22



Tahoe Blue SRI-31



Pacific Blue SRI-26



Hemlock Green SRI-36



Forest Green SRI-24



Pine Green SRI-25



Terra Cotta SRI-43



Tile Red SRI-35



Colonial Red SRI-37



Graphite Black SRI-26
(Formerly: Black)



Matte Black SRI-23

PREMIUM METALLIC COOL KYNAR 500® COLORS



Metallic Silver SRI-60



Champagne SRI-48



Antique Patina SRI-40




Copper Penny SRI-50




Weathered Zinc SRI-39



16 oz. & 20 oz. Copper
*please inquire



Zincalume® Plus AZ-55 SRI-65
No Finish warranty - 25 year
perforation warranty.



Vintage® SRI-19
Color range can vary from batch-
to-batch. See TMP website for
more info.



Rustel Plus™ (A606)
Rustel Plus™ has no metallic
coating, is unpainted and has
no warranty.

SPECIALIZED MATERIAL

Other Taylor Metal companies:



ROLLED STEEL PRODUCTS
a Taylor Metal Company

SRI= Solar Reflective Index, these are not paint codes. Oil canning is not a cause for material rejection. These printed chips provide a close representation of the colors. Metal samples are available upon request. See inside for panel, gauge & color availability.

In partnership with:



steelscape



Panels shown in this brochure


Snap-Loc

Panel Options: Accent Ribs




StreamLine™ / Easy-Lock™

Panel Options: Striations, Accent Ribs




Lifetime Soffit™

Panel Options: Single or Double V-Grooves or Striated



SmoothWall™


Panel Options: Single or Double V-Grooves or Striated



Other popular panels offered by Champion Metal


MS-200™

Panel Options: Striations, Accent Ribs, Flat Pan




Versa-Span™

Panel Options: Striations, Accent Ribs, Flat Pan




7/8" Classic Corrugated™




MS-100™ / MS-150™

Panel Options: Striations, Accent Ribs, Flat Pan




Slim-Lock™

Panel Options: Striations, Accent Ribs, Flat Pan



HR-34™

Standard Rolled Shown - Reverse Rolled Available



For our **entire** panel collection, panel options and additional information, visit www.championmetal.com & www.taylormetal.com.

For sample requests, go to www.championmetal.com/products-champion-metal/



Easy-Lock™ 10' Flashings

(ELELP) Eave Low Pitch	(ELE1.5) 1½" Eave	(ELEH) Hook Eave	(ELE13) 1X3 Eave	(ELGN) Narrow Gable	(ELGC) Compensating Gable
(ELGCH) Hemmed Compensating Gable	(ELGG17) Gable G-17	(ELGB) Box Gable	(ELGBNH) Box Gable No Hem	(ELPF) Prow	(ELRFV) Ridge Full Vented
(ELRS) Field Notched Ridge	(ELR17) R-17 Ridge	(ELREC) FieldNotched Peak Flashing	(ELRECH) Hemmed Peak Flashing	(ELRECV) Vented Peak Flashing	(ELHS) Field Notched Hip
(ELHR) Hip/Ridge	(ELVF24) 24" Valley Flashing	(ELVF24H) 24" Valley Flashing Hemmed	(ELVFW) Wide Valley Flashing	(ELSW) Sidewall	(ELSWC) Compensating Sidewall
(ELEWH) Hemmed Endwall	(ELEWN) Field Notched Endwall	(ELPAN) Pan	(ELP3) 3.5" Pan	(ELP5) 5.5" Pan	(ELEW17) EW-17 Vented Endwall
(ELPCIN) FieldNotched Inside Pitch Change	ELPCON) FieldNotched Outside Pitch Change	(ELPCOH) Outside Pitch Change Hemmed	(ELPCIH) Inside Pitch Change Hemmed	(ELSR) Reversing Strip	(ELOC) Offset Cleat
(ELSF) Support Flashing	(ELBGC) Gable Cleat	(ELRECC) Peak Cleat	(ELCF) Standard C-Casing	(ELZC) Zee Closure	(ELPS) 4" Perforated Strip

StreamLine™ / Snap-Loc 12'6" Flashings

(SLELP) Eave Low Pitch	(SLE1.5) 1½" Eave	(SLEH) Hook Eave	(SLE13) 1X3 Eave	(SLGN) Narrow Gable	(SLGC) Compensating Gable
(SLGCH) Gable Compensating Hemmed	(SLGG17) Gable G-17	(SLGB) Box Gable	(SLGBNH) Box Gable No Hem	(SLPF) Prow	(SLRFV) Ridge Full Vented
(SLRS) Field Notched Ridge	(SLR17) R-17 Ridge	(SLREC) Field Notched Peak Flashing	(SLRECH) Hemmed Peak Flashing	(SLRECV) Vented Peak Flashing	(SLHS) Field Notched Hip
(SLHR) Hip/Ridge	(SLVF24) 24" Valley Flashing	(SLVF24H) 24" Valley Flashing Hemmed	(SLVFW) Wide Valley Flashing	(SLSW) Sidewall	(SLSWC) Compensating Sidewall
(SLEWH) Hemmed Endwall	(SLEWN) Field Notched Endwall	(SLPAN) Pan	(SLP3) 3.5" Pan	(SLP5) 5.5" Pan	(SLEW17) EW-17 Endwall
(SLPCIN) Field Notched Inside Pitch Change	(SLPCON) Field Notched Outside Pitch Change	(SLPCOH) Outside Pitch Change Hemmed	(SLPCH) Inside Pitch Change Hemmed	(SLSR) Reversing Strip	(SLOC) Offset Cleat
(SLSF) Support Flashing	(SLGCL) Gable Cleat	(SLRECC) Peak Cleat	(SLCF) Standard C-Casing	(SLZC) Zee Closure	(SLPS) 4' Perforated Strip
Note: SLSF only available as 24ga 10' flashings	Note: SLGCL only available as 24ga 10' flashings	Note: SLRECC only available as 24ga 10' flashings		Note: SLSR only available as 24g 10' flashings	Note: SLOC only available as 24ga 10' flashings

Note: SLPS only available as 24ga Zincalume 10'

SmoothWall™ 10' Flashings

Lifetime Soffit™ 10' Flashings

(SFCC) C-Flashing	(SFFA) Angle Flashing	(SFDF) Drip/Soffit	(SFFB) Fascia Board	(SFHF) H-Flashing	(SWCF) C-Flashing
(SWBF) Base Flashing	(SWCOA) Outside Corner	(SWCOB) Alt. Outside Corner	(SWCIA) Inside Corner	(SWCIB) Alt. Inside Corner	(SWZF) Z-Flashing

NOTE: Drawings shown above are for 1" panels. Dimensions for 1-1/2" panels will differ.

ArmorTech™ Panel Coating Availability Chart (X) Color Available (*) Please Inquire

Coil Width	Panel	Gauge	Polar White	Glacier White	Stone White	Light Stone	Hickory	Sterling Grey	Charcoal Grey	Tahoe Blue	Pacific Blue	Sage Green	Forest Green	Pine Green	Desert Brown	Cocoa Brown	Kodiak Brown	Tile Red	Weathered Copper	Obsidian Black	Copper Penny	Zincalume® Plus / Galvalume® AZ-55 **	G-90 Galvanized
20"	Snap-Loc	26		*		*		X	X		*		X	*	*	*	X	*	X	X			*
	StreamLine™	26		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	16" MS150™	26	*	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

** Disclaimer: **Zincalume® Plus / Galvalume® AZ-55** is a 55% aluminum, 45% zinc metallic coating over steel and has no finish warranty - 25 year perforation warranty provided.

Kynar 500® Panel Coating Availability Chart (X) Color Available (*) Please Inquire

Coil Width																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

** Disclaimer: **Vintage®** is an innovative coating process over a G-90 metallic coated surface. The coating process creates shade variations from light to dark, the lighter shade exhibiting a grey tone while the darker shade exhibits a bronze or brown tone. Vintage® comes with a standard 20 year warranty. Warranty can vary by environment, see Champion/TMP's website for more information. Champion/TMP requires signing off on the current batch sample from which your order will be produced.

** Disclaimer: **Zincalume® Plus AZ-55** is a 55% aluminum, 45% zinc metallic coating over steel and has no finish warranty - 25 year perforation warranty provided.

** Disclaimer: **SmoothWall** is not available in 26 gauge.

** Disclaimer: **SmoothWall/Soffit** is not available in aluminum.



CHAMPION METAL
a Taylor Metal Company